

Professional ENG Lens

SD 1/2" Professional

S13x4.6BRM-SD	1/2" wide angle	6 200
S13x4.6BRM-28	1/2" wide angle w/Sony Mount	6 200
S13x4.6BERM-SD	1/2" wide angle w/ ext.	9 650
S13x4.6BERM-28	1/2" wide angle w/Sony Mount	9 650
S17x6.6BRM-SD	1/2" standard lens	2 000
S17x6.6BRM-38	w/ one hot shoe Sony Mount	2 000
S20x6.4BRM-SD	1/2" long standard prof lens	4 080
S20x6.4BRM-38	w/ two hot shoe Sony Mount	4 110
S20x6.4BERM-SD	1/2" long standard prof lens w/ ext.	7 550
S20x6.4BERM-38	w/ two hot shoe Sony Mount	7 550

SD 2/3" Professional

A13x6.3BRM-SD	wide angle prof. lens	6 200
A13x6.3BERM-SD	wide angle prof. lens w/ ext.	9 650
A17x9BRM-SD	2/3 in. prof. standard lens	2 000
A20x8.6BRM-SD	2/3" standard prof. lens	4 080
A20x8.6BERM	2/3" standard prof. lens w/ ext.	7 550

Control Accessoires / Professional ENG Lenses

MM-01		1 730
CFC-12-990	flexible cable	150
CFC-12-990	flexible cable	150
CFH-3	focus grip	270
CZH-14	zoom handle	350
FMM-6B	focus manual module	250
MCA-7	mounting clamp with tooth clutch	200
ZMM-6	zoom manual module	360

MS-01		1 540
CFC-12-990	flexible cable	150
CFH-3	focus grip	270
FMM-6B	focus manual module	250
SRD-92B	zoom demand	870

*** Standard Control for A12x6.8, S12x5 and T12x3.8, S16x7.3RM**

MS-01*		1 580
CFC-12-990	flexible cable	150
CFH-3	focus grip	270
FMM-8	focus man. module	290
SRD-92B	zoom demand	870

SS-01		2 830
FSM-30B	focus servo module	1 190
FSD-11	focus servo demand	770
SRD-92B	zoom demand	870

Broadcast ENG Lenses

SD 2/3" w/ built in zoom module

A13x4.5BERM-M	Wide Power (2x extender)	24 080
A18x7.6BERM-M	(2x extender)	13 800
A22x7.8BERM-M	(2x extender)	24 300

A13x4.5BDERM-M	Wide Power (w/ratio & 2x extender)	29 280
A18x7.6BDERM-M	(w/ratio & 2x extender)	19 000
A22x7.8BDERM-M	(w/ratio & 2x extender)	29 500

HD 1/3" w/ built in zoom module

Th13x3.5BRM-29	1/3" standard JVC new in May 2007	8 500
Th17x5BRM-D29	1/3" HD remote control lens	3 200
HTs18x4.2BRM-M	1/3"HD ENG lens w/o Extender	12 100

HD 1/2" w/ built in zoom module

XS13x3.3BRM-M38	1/2" Sony hot shoe HD lens	15 150
XS17x5.5BRM-M38	1/2" Sony hot shoe HD lens	8 430
HS16x4.6BERM-M38	1/2" Sony hot shoe HD lens	26 800
HS18x5.5BERM-M38	1/2" Sony hot shoe HD lens	22 300

HD 2/3" w/ built in zoom module

HA13x4.5BERM-M	(2x extender) DigiPower	29 030
HA16x6.3BERM-M	(2x extender) DigiPower	26 800
HAs18x7.6BRM-M	w/o extender	13 270
HA18x7.6BERM-M	(2x extender) DigiPower	19 600
HA21x7.8BERM-M	(2x extender) DigiPower	29 680
HA22x7.3BERM-M	(2x extender) DigiPower	34 800
HA22x7.8BERM-M	(2x extender) DigiPower	29 900

HA13x4.5BDERM-M	(w/ratio & 2x extender) DigiPower	37 570
HA18x7.6BDERM-M	(w/ratio & 2x extender) DigiPower	26 570
HA22x7.3BDERM-M	(w/ratio & 2x extender) DigiPower	45 010
HA22x7.8BDERM-M	(w/ratio & 2x extender) DigiPower	40 570

Standard Controls

MM-11		1 970
CFC-12-990	flexible cable	150
CFC-12-990	flexible cable	150
CFH-11	focus grip	310
CZH-14	zoom handle	350
FMM-6B	focus manual module	250
MCA-7	mounting clamp with tooth clutch	200
MCA-7	mounting clamp with tooth clutch	200
ZMM-6	zoom manual module	360

MS-11		2 700
CFC-12-990	flexible cable	150
CFH-11	focus grip	310
ERD-T22	zoom demand, tooth clutch	1 590
FMM-6B	focus manual module	250
MCA-7	mounting clamp with tooth clutch	200
MCA-7	mounting clamp with tooth clutch	200

SS-11		5 100
EPD-1CA	focus demand for ENG; one turn, tooth	1 230
ERD-T22	zoom demand, tooth clutch	1 590
FSP-13G	focus servo module Digi Power	1 880
MCA-7	mounting clamp with tooth clutch	200
MCA-7	mounting clamp with tooth clutch	200

Digi Power Controls

MS-11D		3 720
CFC-12-990	flexible cable	150
CFH-11	focus grip	310
ERD-10A-D01	Digital zoom demand for ENG	2 460
FMM-6B	focus manual module	250
MCA-6B	mounting clamp	350
MCA-7	mounting clamp with tooth clutch	200

SS-11D		7 560
EPD-4A-E02	Digital focus demand; fin type; two turn	2 120
ERD-10A-D01	Digital zoom demand for ENG	2 460
FSP-13G	focus servo module Digi Power	1 880
EBF-1	demand cable EPD-4A-Dxx to ENG le	400
MCA-6B	mounting clamp	350
MCA-6B	mounting clamp	350

SD 2/3" w/ built in zoom and focus module

A13x4.5BERD-S	Wide Power (2x extender) build in focus	25 570
A18x7.6BERD-S	(2x extender) build in focus module	15 650
A22x7.8BERD-S	(2x extender) build in focus module	25 790

A13x4.5BDERD-S	Wide Power (w/ratio & 2x extender) bui	31 000
A18x7.6BDERD-S	(w/ratio & 2x extender) DigiPower builc	20 850
A22x7.8BDERD-S	(w/ratio & 2x extender)	31 220

HD 1/2" w/ built in zoom and focus module

HSs18x5.5BRD-S38	HD ENG lens w/o Extender	14 910
------------------	--------------------------	--------

HD 2/3" w/ built in zoom and focus module

HA13x4.5BERD-S	(2x extender) DigiPower build in focus	31 190
HA16x6.3BERD-S	(2x extender) DigiPower	28 290
HA18x7.6BERD-S	(2x extender) DigiPower build in focus	21 240
HA21x7.8BERD-S	(2x extender) DigiPower build in focus	30 850
HA22x7.3BERD-S	(2x extender) DigiPower build in focus	35 600
HA22x7.8BERD-S	(2x extender) DigiPower build in focus	31 240

HA13x4.5BDERD-S	(w/ratio & 2x extender) DigiPower builc	38 910
HA18x7.6BDERD-S	(w/ratio & 2x extender) DigiPower builc	27 910
HA22x7.3BDERD-S	(w/ratio & 2x extender) DigiPower builc	46 740
HA22x7.8BDERD-S	(w/ratio & 2x extender) DigiPower builc	41 910

Surcharges for 16 Bit Drive Units

16Bit Drive Unit -S4A	16 bit Handgrip serial com.	4 500
16Bit Drive Unit -S4B	16 bit Handgrip encoder direct out	4 500

Standard Controls

SS-13A		3 220
EPD-2CA	focus demand for ENG; two turn, tooth	1 230
ERD-T22	zoom demand, tooth clutch	1 590
MCA-7	mounting clamp with tooth clutch	200
MCA-7	mounting clamp with tooth clutch	200

Digi Power Controls

SS-13D		5 680
EBF-1	demand cable EPD-4A-Dxx to ENG lens	400
EPD-4A-E02	Digital focus demand; fin type; two turn	2 120
ERD-10A-D01	Digital zoom demand for ENG	2 460
MCA-6B	mounting clamp	350
MCA-6B	mounting clamp	350

SS-14S		10 890
EEC-13	demand cable for Shot Box on ENG	910
ERD-10A-D01	Digital zoom demand for ENG	2 460
ESB-6A-E12	Digital shot box w/ EPD-4A-D02	6 250
SZ-210A-R15	adapter - shot box- ENG zoom demand	570
MCA-6B	mounting clamp	350
MCA-6B	mounting clamp	350

HD 2/3" w/ Precision Focus

*(For HA22x7.3BRD-P01 lensholder ALH-117C-01A is necessary!)

HA13x4.5BRD-P01	w/ precision focus	41 120
HA22x7.3BRD-P02 *	PF lens	45 530

Digi Power Controls for PF lenses

SS-13D PF		8 040
EBF-1	demand cable EPD-4A-Dxx to ENG lens	400
EPD-4A-S13E	Digital focus demand; for HD lens PF lens	4 480
ERD-10A-D01	Digital zoom demand for ENG	2 460
MCA-6B	mounting clamp	350
MCA-6B	mounting clamp	350

Long Focal Length ENG Lenses

SD 2/3" w/ built in zoom and focus module

(For these lenses, the ALH-xB or ALH-117C-01A lensholder is necessary!)

A42x9.7BERD-S	telephoto lens	48 100
A42x9.7BERD-F	telephoto lens w/ ECU	53 500
A42x13.5BERD-S	telephoto lens	51 400
A42x13.5BERD-F	telephoto lens w/ ECU	56 000

Lensholder:

ALH-117C-01A	lens holder (A36x, A24x...)	2 500
ALH-xB	lens holder	2 200
ALH-x14	lens holder (A36x, A24x...) for WV-E55	4 970
ALH-x15	lens holder (A36x, A24x...) for DXC-H1	4 970

HD 2/3" w/ built in zoom and focus module

(For these lenses, the ALH-xB or ALH-117C-01A lensholder is necessary!)

HA25x11.5BERD-S	telephoto lens	51 000
HA25x16.5BERD-S	telephoto lens	54 800
HA42x9.7BERD-S	Digi Power Tele lens	69 350
HA42x13.5BERD-S	Digi Power Tele lens	76 090

& built in Stabilizer OS-TECH**(For these lenses, the ALH-xB or ALH-117C-01A lensholder is necessary!)**

HA42x9.7BERD-U	Digi Power, build in OS TECH	70 230
HA42x9.7BERD-G	Digi Power, build in OS TECH and EC	81 350
HA42x13.5BERD-U	Digi Power, build in OS TECH	77 100
HA42x13.5BERD-G	Digi Power, build in OS TECH and EC	86 950

Standard Controls**(Feature. two-turn focus demand for more accurate focusing)**

SS-13A		3 220
EPD-2CA	focus demand for ENG; two turn, tooth	1 230
ERD-T22	zoom demand, tooth clutch	1 590
MCA-7	mounting clamp with tooth clutch	200
MCA-7	mounting clamp with tooth clutch	200

Digi Power Controls

SS-13D		5 680
EBF-1	demand cable EPD-4A-Dxx to ENG le	400
EPD-4A-E02	Digital focus demand; fin type; two turn	2 120
ERD-10A-D01	Digital zoom demand for ENG	2 460
MCA-6B	mounting clamp	350
MCA-6B	mounting clamp	350

SS-14S		10 890
EEC-13	demand cable for Shot Box on ENG	910
ERD-10A-D01	Digital zoom demand for ENG	2 460
ESB-6A-E12	Digital shot box w/ EPD-4A-D02	6 250
SZ-210A-R15	adapter - shot box- ENG zoom demand	570
MCA-6B	mounting clamp	350
MCA-6B	mounting clamp	350

OS - Technology for Broadcast ENG Lenses

TS-P58A	Optical stabilisation system, sandwich	25 971
EA-12A-03B	control unit for OS-Tech w/ mounting c	1 310

Compact Studio Lenses**HD 2/3" Compact Box****(For these Lenses Lensholder are necessary)***

XA22x7BES-D8	Compactbox	50 000
--------------	------------	--------

*** Lensholder**

ALH-117C-02A	lens holder for XA22x7BES	3 330
--------------	---------------------------	-------

Digi Compact Control Unit

SS-13DC		6 280
EBF-1	demand cable EPD-4A-Dxx to ENG le	400
ERD-10A-D05A	Digital zoom demand for XA22x7BES	2 440
EPD-4A-E12	Digital focus demand; rod type; two tur	2 740
MCA-6B	mounting clamp	350
MCA-6B	mounting clamp	350

Studio and EFP Lenses

SD 2/3" Studio

Ah20x8BESM	Digi Power	48 610
Ah20x8BESM-R	w/ratio converter	58 720

Ah24x7BESM	Digi Power	59 800
Ah24x7BESM-R	w/ratio converter	69 910
Ah24x7BESM-M	w/macro	61 320

SD 2/3" EFP

EFP Lens for B-Mount ENG Camera:

Ah50x9.5BESM-5L	EFP lens for B-mount ENG camera	83 440
TrunkAh50x	Trunk for Ah50x	1 140

Ah60x9.5BESM	Digi Power	94 000
Ah60x9.5BESM-R	w/ratio converter	104 110
Ah60x9.5BESM-M	w/macro	95 520

HD 2/3" Studio

(For HA27x Remote Macro Controller is recommended)*

HA22x7.2BESM	studio lens	49 900
HA22x7.2BESM-R	with ratio converter	58 500

HA27x6.5BESM	Studio Lens	65 500
HA27x6.5BESM-R	Studio lens with Ratio Con.	74 000
HA27x6.5BESM-K	Studio lens with PF	88 800

*Remote Macro Controller for Box Lenses:

EA-3A-10A	remote macro controller for box lenses	1 890
-----------	--	-------

HD 2/3" EFP

(For these lenses Remote Macro Controller is recommended)*

XA66x9.3BESM	w/advanced backfocus	95 700
--------------	----------------------	--------

XA72x9.3BESM	w/advanced backfocus	107 460
XA72x9.3BESM-R	w/ratio converter	117 570

XA87x9.3BESM	w/ advanced back focus	122 290
XA87x9.3BESM-R	w/ RC and advanced back focus	132 400

XA87x13.2BESM	w/ advanced back focus	147 930
---------------	------------------------	---------

*Remote Macro Controller for Box Lenses:

EA-3A-10A	remote macro controller for box lenses	1 890
-----------	--	-------

HD 2/3" EFP Lenses w/ built in stabilizer OS-TECH

(For these Lenses Control Unit for OS TECH and Remote Macro Controller are recommended)*

XA76x9.3BESM-S	w/ OS-Tech and advanced back focus	124 940
XA76x9.3BESM-SR	w/ OS-Tech; RC and advanced back fc	135 050

XA87x9.3BESM-S	w/ OS-Tech; advanced back focus	133 000
XA87x9.3BESM-SR	w/ OS-Tech; RC and advanced back fc	142 900
XA87x13.2BESM-S	w/ OS-Tech; advanced back focus	165 440

XA88x8.8BESM-S	w/ OS-Tech; advanced back focus	148 000
XA101x8.9BESM-S	w/ OS-Tech; advanced back focus	169 580
XA101x8.9BESM-SR	w/ OS-Tech; RC and advanced back focus	179 690

***Remote Macro Controller for Box Lenses:**

EA-3A-10A	remote macro controller for box lenses	1 890
-----------	--	-------

***Control Unit for OS TECH**

EA-12A-02B	control unit for OS-Tech	1 120
------------	--------------------------	-------

Standard Controls

MM-21		6 280
BFC-36	flexible cable	270
BFC-36	flexible cable	270
BFH-1A	focus grip	620
BZH-2A	zoom handle	1 230
EMM-51B	manual module	1 220
EMM-51B	manual module	1 220
ERS-51B	ext. range selector (1x,2x,RET1,RET2)	1 450

for Ah50x only:

MS-21		9 710
EMM-51B	manual module	1 220
BFC-36	flexible cable	270
BFH-1A	focus grip	620
ESM-D51B	Digital servo module	4 040
ERD-10A-D11	Analogue zoom demand for Ah55x	3 210
MCA-6B	mounting clamp	350

Digi Power Controls

MS-21D		11 640
BFC-36	flexible cable	270
BFH-1A	focus grip	620
EMM-51B	manual module	1 220
ELZ-11C	demand cable - pan bar	570
ESM-D51B	Digital servo module	4 040
ERD-5A-D01	Digital zoom pan bar	4 920

SS-21D		16 260
EPD-4A-E02	Digital focus demand; fin type; two turn	2 120
ERD-5A-D01	Digital zoom pan bar	4 920
EFZ-11D	demand cable zoom, focus	790
ESM-D51B	Digital servo module	4 040
ESM-D51B	Digital servo module	4 040
MCA-6B	mounting clamp	350

SS-21D Hi-Speed		17 180
EPD-4A-E02	Digital focus demand; fin type; two turn	2 120
ERD-5A-D01	Digital zoom pan bar	4 920
EFZ-11D	demand cable zoom, focus	790
ESM-D52B	Digital servo module high speed	4 960
ESM-D51B	Digital servo module	4 040
MCA-6B	mounting clamp	350

MS-22D		16 630
BFC-36	flexible cable	270
BFH-1A	focus grip	620
EMM-51B	manual module	1 220
ERD-5A-D01	Digital zoom pan bar	4 920
ESB-6A-D01	Digital shot box	4 080
ESL-1C	demand cable	890
ESM-D51B	Digital servo module	4 040
ESZ-12	short cable shot box - zoom demand	590

SS-22D		21 760
EPD-4A-E02	Digital focus demand; fin type; two turn	2 120
ERD-5A-D01	Digital zoom pan bar	4 920
ESB-6A-D01	Digital shot box	4 080
ESF-1C	cable - shot box - focus demand	730
ESL-1C	demand cable	890
ESM-D51B	Digital servo module	4 040
ESM-D51B	Digital servo module	4 040
ESZ-12	short cable shot box - zoom demand	590
MCA-6B	mounting clamp	350

SS-23D		21 010
ERD-5A-D01	Digital zoom pan bar	4 920
ESB-6A-E12	Digital shot box w/ EPD-4A-D02	6 250
ESL-1C	demand cable	890
ESM-D51B	Digital servo module	4 040
ESM-D51B	Digital servo module	4 040
ESZ-11	long cable shot box - zoom demand	520
MCA-6B	mounting clamp	350

HD 2/3" EFP Lenses w/ Precision Focus

(For these Lenses Remote Macro Controller and Control Unit for OS-TECH are recommended)*

HA27x6.5BESM-K	Studio lens with PF	88 800
XA88x8.8BESM-SK	w/ OS-Tech and PF	168 000
XA101x8.9BESM-SK	w/ OS-Tech and PF	200 500
XA101x8.9BESM-SRK	w/ OS-Tech; RC and PF	197 000

*Remote Macro Controller:

EA-3A-10A	remote macro controller for box lenses	1 890
-----------	--	-------

*Control Unit for OS-TECH:

EA-12A-02B	control unit for OS-Tech	1 120
------------	--------------------------	-------

Precision Focus Lens Control

SS-21D PF		18 620
EPD-4A-S13E	Digital focus demand; for HD lens PF lens	4 480
ERD-5A-D01	Digital zoom pan bar	4 920
EFZ-11E	demand cable zoom, focus	790
ESM-D51B	Digital servo module	4 040
ESM-D51B	Digital servo module	4 040
MCA-6B	mounting clamp	350

Manual Controlled Lenses w/ C-Mount

HAF4.8DA-1	C-Mount HD lens	9 500
XA4x7.5DA-1	remote control lnes for 2/3" C-mount	16 500

Macro Lenses (Manual Control)

SD 1/2" Macro

MSF10B	10mm focal length	6 830
MSF20B	20mm focal length	6 210
MSF35B	35mm focal length	6 210
MSF75B	75mm, extr. low distortion, less than 0.	9 770

SD 2/3" Macro

MAF10B	10mm focal length	6 830
MAF20B	20mm focal length	6 210
MAF35B	35mm focal length	6 210
MAF75B	75mm, extr. low distortion, less than 0.	9 770

Macro Lenses (Motorized Control)

SD 1/2" Macro

MSF10BMD-D24	10mm focal length	9 430
MSF20BMD-D24	20mm focal length	8 560
MSF35BMD-D24	35mm focal length	8 580
MSF75BMD-D24	75mm, extr. low distortion, less than 0.	12 130

SD 2/3" Macro

MAF10BMD-D28	10mm focal length	9 430
MAF20BMD-D28	20mm focal length	8 560
MAF35BMD-D28	35mm focal length	8 580
MAF75BMD-D28	75mm, extr. low distortion, less than 0.	12 130

Controls for Motorized Macro Lenses

*see Controls MD-type Lenses

Graphic Lenses (Manual Control)

SD 1/2" Graphic

S4x5.5B	compact wide	8 370
---------	--------------	-------

SD 2/3" Graphic

A4x7.5B	compact wide	8 370
A8x12B	compact	9 240

Videoconferencing Lenses

SD 1/2" Videoconferencing

S4x5.5BMD-D6		9 340
S13x4.6BMD-DSD	1/2" wide angle remote control lens	7 810
S13x4.6BMD-D18	w/ one hot shoe Sony Mount	7 900
S13x4.6BMD-D38	w/ two hot shoe Sony Mount	8 030
S13x4.6BEMD-DSD	1/2" wide angle remote control lens w/	11 140
S13x4.6BEMD-D18	w/ one hot shoe Sony Mount	11 400
S13x4.6BEMD-D38	w/ two hot shoe Sony Mount	11 400
S16x7.3BMD-DSD	1/2" standard remote control lens	2 600
S16x7.3BMD-D18	w/ one hot shoe Sony Mount	2 700
S16x7.3BMD-D48	w/ two hot shoe Sony Mount	2 800
S20x6.4BMD-DSD	1/2" long standard remote control lens	5 440
S20x6.4BMD-D18	w/ one hot shoe Sony Mount	5 440
S20x6.4BMD-D38	w/ two hot shoe Sony Mount	5 980
S20x6.4BEMD-DSD	1/2" long standard remote control lens	10 880
S20x6.4BEMD-D18	w/ one hot shoe Sony Mount	11 070
S20x6.4BEMD-D38	w/ two hot shoe Sony Mount	11 140

SD 2/3" Videoconferencing

A4x7.5BMD-D28		11 830
A8x12BMD-D28		10 180
A13x6.3BMD-DSD	wide angle remote control lens	7 810
A13x6.3BEMD-DSD	wide angle remote control lens w/ ext.	11 140
A20x8.6BMD-DSD	2/3" standar remote control lens	5 440
A20x8.6BEMD-DSD	2/3" standar remote control lens w/ ext	10 880

HD 1/3" Videoconferencing

Th17x5BMD-D29	HD teleconferencing lens	4 100
---------------	--------------------------	-------

HD 1/2" Videoconferencing

HSs18x5.5BMD-D18	HD teleconferencing lens	12 880
HSs18x5.5BMD-D38	HD teleconferencing lens	12 950

HD 2/3" Videoconferencing

HAs18x7.6BMD-DSE	HD teleconferencing lens	12 880
------------------	--------------------------	--------

HD 2/3" Videoconferencing w/ C-Mount

HAF4.8DA-DS1	C-Mount HD lens Autolris	14 500
XA4x7.5DA-DS1	remote control lnes for 2/3" C-mount	17 500

Converter Box MD lens to SS-11

EA-18A-01A	converter box BMD-DSE type lens to S	1 620
------------	--------------------------------------	-------

Controls for MD-Type Lenses

RMD-10	remote control unit	940
RMD-20	remote control unit	1 090
RMD-30	remote control unit	1 860
ECM-005M	extension cable 5 meter	290
ECM-010M	extension cable 10 meter	370
ECM-020M	extension cable 20 meter	560
ECM-050M	extension cable 50 meter	1 170
ECM-100M	extension cable 100 meter	2 040

Accessories for ENG, Teleconferencing and Macro Lenses

EXT-30	ENG return switch (for MM kit)	280
FMM-3B	focus manual module for 24x and 36x lenses	290
FZM-6	focus and zoom manual module	550
ECU-2A	extender change unit for digital ERM, EMD lenses	5 130
ECU-12A	extender change unit for EMD lenses	5 130
ECU-3	extender change unit for digital DERM, DERM lenses	9 190
EPD-1CA	focus demand for ENG; one turn, tooth	1 230
EPD-2CA	focus demand for ENG; two turn, tooth	1 230
EPD-4A-E01	Digital focus demand; fin type; one turn	2 120
EPD-4A-E11	Digital focus demand; rod type; one turn	2 740
EPD-4A-E12	Digital focus demand; fin type; two turn	2 120
ERD-T22	zoom demand, tooth clutch	1 590
ERD-10A-D01	Digital zoom demand for ENG	2 460
MCA-7	mounting clamp with tooth clutch	200
MCA-6B	mounting clamp	350
EA-11A-D01	take control unit (option for digital shot)	790
EBF-1	demand cable EPD-4A-Dxx to ENG lenses	400
EBZ-23	demand cable ERD-5A-Dxx to DIGI ENG lenses	560

Extension Cables

ECA-1000	6 PM to 6 PF, 1m extension cable for F	220
ECA-5000	6 PM to 6 PF, 5m extension cable for F	370
ECA-10000	6 PM to 6 PF, 10m extension cable for F	490
ECC-1000	8 PM to 8 PF (SRD-51), 1m extension	220
ECC-5000	8 PM to 8 PF (SRD-51), 5m extension	370
ECC-10000	8 PM to 8 PF (SRD-51), 10m extension	490
ECE-R22	12PF (lens) to 12 PM (camera)(Panasc	150
ECE-1000	12 PF to 12 PM (EPD-1CA, -2CA; ERM	220
ECE-2000	12 PF to 12 PM (EPD-1CA, -2CA; ERM	260
ECE-3000	12 PF to 12 PM (EPD-1CA, -2CA; ERM	270
ECE-4000	12 PF to 12 PM (EPD-1CA, -2CA; ERM	310
ECE-5000	12 PF to 12 PM (EPD-1CA, -2CA; ERM	330
ECE-7000	12 PF to 12 PM (EPD-1CA, -2CA; ERM	380
ECE-10000	12 PF to 12 PM (EPD-1CA, -2CA; ERM	440
ECE-20000	12 PF to 12 PM (EPD-1CA, -2CA; ERM	670
ECE-30000	12 PF to 12 PM (EPD-1CA, -2CA; ERM	900
ECE-50000	12 PF to 12 PM (EPD-1CA, -2CA; ERM	1 190

Converter Cables

ECF-124	6 PF (lens) to 12 PM (camera)(Sony)	150
ECF-125	12 PF (lens) to 6 PM (camera)(Sony)	150
ECF-126	8 PF to 12 PM (SRD-51)	150
ECG-125	12 PF (lens) to 6 PM (camera)(Ikegami)	150
ECG-124	6 PF (lens) to 12 PM (camera)(Ikegami)	150

SA-206A-005	RS-232 adapter for Digi Power ENG lens	330
-------------	--	-----

CF-209A-R15	adapter cable C. prof. lens - SRD-92B	240
CF-209C-R15	adapter cable C. broadc. lens - EPD-10	180
CF-209E-R15	adapter cable C. broadc. lens - ERD-T2	300
CF-209F-R15	adapter cable C. broadc. lens - EPD-10	300

FC 207A-001	adapter cable F broadc. lens 12p. - Z-d	240
FC-207A-R15	adapter cable F. broadc. lens 12p. - Z-d	230
FC-207C-R15	adapter cable F. broadc. lens 12p. - F-d	190
FC-207D-R15	adapter cable F prof. lens 8p. - Canon f	240
FC-207E-R15	adapter cable F. 12pin lens to C. 20pin	210
FC-207F-R15	adapter cable F. 12pin lens to C. 20pin	210

SD Optical Converters and Attachments

for A4x7.5, A8x12, S4x5.5, S8x8.8

WCV-52SC	wide converter, screw in type	5 960
----------	-------------------------------	-------

for S16x7.3BRM-SDA, S16x7.3MD

WCV-65	wide converter	680
--------	----------------	-----

for S12x7.5, S14x7.5

F-AT 75C	fish-eye attachment	2 190
TCV-75B	tele converter	3 430
WAT-75C	wide attachment	1 430
WCV-75D	wide converter	3 791

for A14x8.5, A16x9

F-AT80C	fish-eye attachment	2 190
TCV-80B	tele converter	3 430
WAT-80C	wide attachment	1 430
WCV-80D	wide converter	3 791

for A15x8, A17x7.8, A20x8.6, S20x6.4

RCV-82SC	ratio converter, screw in type	1 310
----------	--------------------------------	-------

for Th16x5.5BRM

WCV-82SC	wide converter, screw in type	595
----------	-------------------------------	-----

for A15x8, A17x7.8, A20x8.6, S20x6.4, A13x6.3, S13x4.6

WAT-85C	wide attachment	1 430
---------	-----------------	-------

for A18x7.6

F-ATH85	fish-eye attachment (HDTV)	3 800
TCV-H85	tele converter for HDTV lenses	6 380
WAT-H85	wide attachment (HDTV)	4 230
WCV-H85	wide converter (HDTV)	6 550

for A15x8, A17x7.8, A20x8.6, S20x6.4

F-AT85C	fish-eye attachment	2 190
WCV-L85	wide converter	2 110

for A15x8, A17x7.8, A20x8.6, S20x6.4, A13x6.3, S13x4.6

TCV-85C	tele converter	3 430
WCV-85D	wide converter	3 791

for A18x8.5

F-AT90C	fisheye attachment	2 190
TCV-90B	tele converter	3 430
WAT-90	wide attachment	1 430
WCV-90D	wide converter	3 791

for A22x7.8

F-AT95SC	fisheye attachment (screw in type)	2 060
F-AT100C	fisheye attachment (made to order)	0
WAT-95SC	wide attachment (screw in type)	1 330
WAT100C	wide attachment (made to order)	2 080
WCV-100D	wide converter	3 971

for A22x7.8, A12x6.8

TCV-100C	tele converter	3 600
----------	----------------	-------

HD Optical Converters and Attachments**for HA10x5**

WAT-W85	wide attachment	4 340
---------	-----------------	-------

for HA18x7.6, HA21x7.8, HSs18x5.5

F-ATH85	fisheye attachment (HDTV)	3 800
TCV-H85	tele converter for HDTV lenses	6 380
WAT-H85	wide attachment (HDTV)	4 230
WCV-H85	wide converter (HDTV)	6 550

for HA10x5.2, HA16x6.3

TCV-H95	tele converter	6 380
WAT-W95	wide attachment	5 630
WCV-H95	wide converter	6 550

for HA22x7.8

F-ATH100	fisheye attachment (HDTV)	4 510
TCV-H100	tele converter for HDTV lenses	6 380
WAT-H100	wide attachment (HDTV)	5 080
WCV-H100	wide converter (HDTV)	6 550

for HA20x7.8

F-ATH110	fisheye attachment (HDTV)	4 510
WAT-H110	wide attachment (HDTV)	5 080
WCV-H110	wide converter (HDTV)	6 550

for HA20x7.8 and HA22x7.3

TCV-H110	tele converter for HDTV lenses	6 380
----------	--------------------------------	-------

Adapter rings for attachments

WAT-75B-R	adapter ring for attachment	310
WAT-80B-R	adapter ring for attachment	310
WAT-85B-R	adapter ring for attachment	310
WAT-90B-R	adapter ring for attachment	310

WAT-95W-R	adapter ring for attachment	660
-----------	-----------------------------	-----

CV-75B-R	adapter ring for converter	420
CV-80B-R	adapter ring for converter	420
CV-85B-R	adapter ring for converter	420
CV-90B-R	adapter ring for converter	420
CV-100B-R	adapter ring for converter	440

CV-85H-R	adapter ring for HD converter	1 100
----------	-------------------------------	-------

CV-100H-R	adapter ring for HD converter	1 100
-----------	-------------------------------	-------

CV-110H-R	adapter ring for HD converter	1 100
-----------	-------------------------------	-------

WAT-85H-R	adapter ring for HD attachment	1 100
-----------	--------------------------------	-------

WAT-100H-R	adapter ring for HD attachment	1 100
------------	--------------------------------	-------

WAT-110H-R	adapter ring for HD attachment	1 320
------------	--------------------------------	-------

Filters for ENG Lenses

for A15x8, S15x6.1, A17x, S17x, A19x8.7, S19x6.5, S12x5, T12x3.8, A20, S20, S16x7.3RM

EFL-82UV	Ø 82mm, UV	360
EFL-82N2	Ø 82mm, ND2	360
EFL-82N4	Ø 82mm, ND4	360
EFL-82N8	Ø 82mm, ND8	360
EFL-82CS	Ø 82mm, cross screen 4x	360
EFL-82SN	Ø 82mm, snow cross 6x	360
EFL-82SU	Ø 82mm, sunny cross 8x	360
EFL-82SF	Ø 82mm, soft focus	360
EFL-82PL	Ø 82mm, polarizing	920
EFL-82SL	Ø 82mm, sky light	360

for A12x6.8, A22x, S22x

EFL-95UV	Ø 95mm, UV	460
EFL-95N2	Ø 95mm, ND2	460
EFL-95N4	Ø 95mm, ND4	460
EFL-95N8	Ø 95mm, ND8	460
EFL-95CS	Ø 95mm, cross screen 4x	460
EFL-95SN	Ø 95mm, snow cross 6x	460
EFL-95SU	Ø 95mm, sunny cross 8x	460
EFL-95SF	Ø 95mm, soft focus	460
EFL-95PL	Ø 95mm, polarizing	1 070
EFL-95SL	Ø 95mm, sky light	460

for A24x, S24x

EFL-107UV	Ø 107mm, UV	860
EFL-107N2	Ø 107mm, ND2	860
EFL-107N4	Ø 107mm, ND4	860
EFL-107N8	Ø 107mm, ND8	860
EFL-107CS	Ø 107mm, cross screen 4x	860
EFL-107SN	Ø 107mm, snow cross 6x	860
EFL-107SU	Ø 107mm, sunny cross 8x	860
EFL-107SF	Ø 107mm, soft focus	860
EFL-107PL	Ø 107mm, polarizing	1 660
EFL-107SL	Ø 107mm, sky light	860

for A10x4.8, A36x

EFL-127UV	Ø 127mm, UV	1 030
EFL-127N2	Ø 127mm, ND2	1 030
EFL-127N4	Ø 127mm, ND4	1 030
EFL-127N8	Ø 127mm, ND8	1 030
EFL-127CS	Ø 127mm, cross screen 4x	1 030
EFL-127SN	Ø 127mm, snow cross 6x	1 030
EFL-127SU	Ø 127mm, sunny cross 8x	1 030
EFL-127SF	Ø 127mm, soft focus	1 030
EFL-127PL	Ø 127mm, polarizing	1 640
EFL-127SL	Ø 127mm, sky light	1 390

HOYA-Filter

H-EFL-82UV	HOYA Ø 82mm UV	260
H-EFL-82PL	Ø 82mm circular polarizing	490
H-EFL-82SL	Ø 82mm Skylight	260
H-EFL-95UV	HOYA Ø 95mm UV	320
H-EFL-95PL	Ø 95mm circular polarizing	590
H-EFL-95SL	Ø 95mm Skylight	320
H-EFL-107UV	HOYA Ø 107mm UV	580
H-EFL-107PL	Ø 107mm circular polarizing	820
H-EFL-107SL	Ø 107mm Skylight	610
H-EF-127UV	HOYA Ø 127mm UV	780
H-EFL-127PL	Ø 127mm circular polarizing	950
H-EFL-127SL	Ø 127mm Skylight	780

External Extenders

AE20B-2	with back focus adjustment	1 470
AE20F-2	with back focus adjustment	1 470
SE20B-2	with back focus adjustment	1 490

SD Close-up Lenses

ECL8052	(for A4x, S4x, A8x, S8x)	1 000
ECL8072	(for A14x10, S14x7.5)	380
ECL8082	(for A17x7.8, S12x5, A13x6.3, S13x4.6)	380
ECL8095	(for A12x6.8, A20x8, A22x7.8)	550

HD Close-up Lenses

HCL-H5085	for HA17x7.8, HA18x7.6, HAs18x7.6,H	5 420
HCL-H50100	for HA15x8, HA22x7.8	5 870
HCL-H50110	for HA20x7.8	5 870
HCL-H8082SC	for HA17x7.8, HA18x7.6, HAs18x7.6,H	3 870
HCL-H8095SC	for HA15x8, HA22x7.8	4 480
HCL-H80107SC	for HA20x7.8	4 050
HCL95H-R	adapter ring for modification HCL-H808	470

Adapters for CCD- Size or Mount

ACM-6B	2/3"B-type lens on 2/3"C-mount camera	3 330
ACM-7B	2/3"B-type lens on 1/2"B-type camera	2 590
ACM-8	2/3"B-type lens on Sony hot shoe conn	2 930
ACM-8B	2/3"B-type lens on 1/2" hot shoe c., w/f	2 200
ACM-10B	2/3"B-type lens on 1" C-mount camera	4 190
ACM-11	1/2"B-type lens on 1/2" C-mount 3 CCD	2 690
ACM-12	1/2"B-type lens on 1/3" B-mount camera	580
ACM-13	2/3"B-type lens on 1/2" C-mount camera	6 000
ACM-15	2/3"B-type lens on 2/3, 1/2, 1/3" 3 CCD	2 730
ACM-17	2/3"B-type on 1/3"B-mount camera	910
EA-307A-01A	F-mount lens to B-mount camera adap	3 800

Accessories for Studio and EFP Lenses

Optional Accessories

EA-11A-D01	take control unit (option for digital shot	790
EBZ-23	demand cable ERD-5A-Dxx to DIGI EN	560
EA-3A-10A	remote macro controller for box lenses	1 890
ERD-5A-D11	Digital zoom pan bar (MCA-6B required	4 650
MCA-6B	mounting clamp	350
ERD-10A-D11	Analogue zoom demand for Ah55x	3 210
ESM-D52B	Digital servo module high speed	4 960
EPD-4A-E02	Digital focus demand; fin type; two turn	2 120
EPD-4A-E12	Digital focus demand; rod type; two turn	2 740
EPA-22	focus demand for EFP; manual style bu	3 120
ERS-51B	ext. range selector (1x,2x,RET1,RET2)	1 450
ERS-53B	ext. range selector (1x,2x,RET1, VTR r	1 630
ERS-54B	ext. range selector (1x,2x,RET, VTR alt	1 630
ERS-61	macro control unit	1 490
ERS-71	ext. range selector (1x,2x,RC,RET1,RE	1 600
EPF-226A	protection glass assy for Ah50x,60x,80x	3 000
EPF-196A	protection glass assy for HA27x6.5BES	3 000

Lens Holder for mounting ENG-Cameras to Studio Lenses

ELH-112A-21A	for S/F lens (-01 type) (F-mount)	7 000
ELH-112A-17A	for S/F lens (-17 type) (B-mount)	7 000
ELH-112A-18A	for S/F lens (-18 type) (B-mount)	8 500
ELH-112A-28A	for S/F lens (-28 type) (B-mount)	8 500
ELH-112A-34A	for S/F lens (-34 type) (B-mount)	8 500

External Optical Stabilization

TS-16A	Optical stabilisation system, sandwich	31 060
TS-17A	Optical stabilisation system, sandwich	31 060
TS-18A	Optical stabilisation system, sandwich	31 060
TS-21A	Optical stabilisation system, sandwich	31 060
TS-38A	Optical stabilisation system, sandwich	31 060

OS-Control Units:

EA-12A-02B	control unit for OS-Tech	1 120
EA-12A-03B	control unit for OS-Tech w/ mounting c	1 310

Trunks:

CL497A-1	Trunk for TS-18A	1 840
CL497A-2	Trunk for TS-38A	1 840
CL497A-3	Trunk for TS-21A	1 840

FIND - System

Cine Lenses - Cine Super E Series

Cine Super Primes

HAeF5-M10	Super Prime	26 470
HAeF8-M10	Super Prime	20 700
HAeF10-M10	Super Prime	19 890
HAeF12-M10	Super Prime	21 620
HAeF16-M10	Super Prime	20 860
HAeF20-M10	Super Prime	17 230
HAeF34-M10	Super Prime	18 800
HAeF40-M10	Super Prime	20 860
HAeF54-M10	Super Prime	20 130

Cine Super Zooms

HAe3x5-M	Super Zoom	91 410
HAe5x6-M	Super Zoom	86 710
HAe10x10-M	Super Zoom	88 170
HAe12x9.5-M	Super Zoom	98 640

Cine Lenses - Cine Compact C Series

HAc13x4.5B-10	Cine Zoom lens	32 000
HAc15x7.3B-10	Compact Cine Zoom lens	41 160
HAc18x7.6B-10	Cine Zoom lens	27 450

Accessories Cine

ESC-14A-01A	System controller (Iris servo)	4 280
ESC-14A-02A	System controller (Full servo - AF)	21 420
ESC-14A-03A	System controller (AF)	11 890
ESC-14A-04A	System controller (Full servo)	8 530
UOV-R60	600mm cable for ESC-14A-01A - came	TBA
EC-213A-R60	0.6meters cable between ESC and can	470
ESM-15A-01A	Servo module (w/MCA-10;ø19 or MCA	6 550
EC-212A-R60	0.6meters cable between ESC and ES	470
EPD-4A-E02	Digital focus demand; fin type; two turn	2 120
EF-214A-001	1 meter cable between ESC and EPD	640
ERD-10A-D01	Digital zoom demand for ENG	2 460
EZ-215A-001	1 meter cable between ESC and ERD	470
FP-314A-11A	Encoder unit for Fix	7 970
FP-314A-12A	Encoder unit for zoom	9 330

MCA-11	Mounting clamp (ø15)	1 010
--------	----------------------	-------

External extender

HAeE1.4-1	1.4x extender for HD lenses	3 950
-----------	-----------------------------	-------